

# Index, Volume 44, 1991

(Index compiled by Tana Allshouse and Wayne Leininger)

<sup>14</sup>C, 68  
2,4-D, 311, 623  
2,4,5-T, 56

## A

Aboveground net primary production, 144  
*Acacia berlandieri*, 456, 520, 606  
*Acacia cymbispina*, 508  
*Acacia hindii*, 508  
*Acacia rigidula*, 456  
*Acrididae*, 583  
Adams, Don C., 204, 295, 628  
Addiction, 208  
Adventitious roots, 184  
Age structure, 611  
Aggressivity, 443  
Aging techniques, 611  
*Agropyron cristatum*, 418  
*Agropyron desertorum*, 186, 418, 574  
*Agropyron desertorum* X *A. cristatum*, 341, 347, 355  
*Agropyron elongatum*, 295  
*Agropyron smithii*, 404  
*Agropyron* spp., 336  
Aguirre, Lucracia, 341, 347, 355  
Alaniz, M.A., 587  
Alberta, 7, 13, 18  
Alfalfa, 22, 418  
Alkaloids, 105  
Allelopathy, 223  
Allen, Edith B., 336  
*Alopecurus arundinaceus*, 295  
Alpine meadow, 140  
Alternative steady states, 327  
Amendments, 34  
Anderson, David L., 623  
*Andropogon gerardii* var. *paucipilus*, 241  
Animal unit months, 483  
Annual grassland, 306  
Ansley, R.J., 56, 577  
Antelope, 390  
*Antilocapra americana*, 390  
Applicability of the Kostiakov equation to mixed prairie and fescue grasslands of Alberta, 18  
Archer, Steve, 550, 558  
Argentina, 434, 471  
Arid zones, 86  
*Artemisia* spp., 438  
*Artemisia tridentata*, 385, 462  
*Artemisia tridentata* spp. *tridentata*, 491  
*Artemisia tridentata* ssp. *vaseyana*, 72  
*Artemisia tridentata* spp. *wyomingensis*, 623  
Asay, K.H., 418  
*Atriplex canescens*, 220  
*Atriplex suckleyi*, 34  
Auxin, 237

## B

Bailey, A.W., 7, 13, 18  
Bailey, James A., 487  
Balliet, John F., 623  
Barnes, Thomas G., 606  
Basal treatments, 52  
Bastian, Chris T., 390  
Beasom, Samuel L., 520  
Beck, Reldon F., 374, 602  
Beef cattle distribution patterns on foothill range, 267  
Behavior, cattle, 259, 262  
Berry, James, S., 583

Bertiller, M.B., 199  
Bias in aging feral horses, 611  
Bifurcation, 327  
Biological tool, 619  
Biomass, 602  
Biomass production, 64  
Biomass productivity and range condition on range sites in southern Arizona, 64  
Biondini, Mario E., 194  
Bison, 100  
Blackbrush, 456  
Blankenship, Lytle H., 606  
Blough, David K., 171  
Blue grama response to Zn source and rates, 48  
Bluestem, sand, 241  
Boe, A., 299  
Boggs, J.F., 150  
Borman, Michael M., 204, 295, 318  
Botanical composition, 471  
*Bothriochloa laguroides*, 471  
*Bouteloua curtipendula*, 171, 176, 210, 249, 404  
*Bouteloua eriopoda*, 249  
*Bouteloua gracilis*, 48, 68, 184, 237, 249, 399, 497, 574  
Bovey, Rodney W., 52, 508  
Bowen ratio/energy balance, 161  
Bowns, J.E., 619  
British Columbia, 466  
Brizuela, Miguel A., 100  
Broadcast seeding, 210  
Brome, downy, 341, 347, 355  
Brome, smooth, 404  
Bromegrass, smooth, 404  
*Bromus inermis*, 404  
*Bromus tectorum*, 341, 347, 355  
Broom snakeweed, 232  
Brothers, Larry W., 246  
Browse, 614  
Browsing, 72  
Brummer, Joe E., 124  
Brush control, 150, 232, 56, 623  
Brush management, 246, 451  
Bubar, C.J., 75  
Buckhouse, John C., 411

## C

Cactus, pricklypear, 587  
*Calamovilfa longifolia*, 241  
Calcium, 520  
California oak-woodland overstory species affect herbage overstory: Management implications, 306  
Call, C.A., 543  
Callihan, R.H., 443  
*Callipepla californica*, 129  
Canopy reduction, 52  
Canopy removal, 129  
Capital investment analysis, 43  
*Capra* spp., 361  
Caprio, Joseph M., 583  
Carbohydrates, 254  
Carbon, organic, 7, 111  
Carpenter, Brent D., 232  
Cassels, Debra, 246  
Cattle, 204, 267  
Cattle diets, 105, 628  
Cattle foraging patterns, 118  
Cattle grazing, 296, 487

Cattle grazing behavior on a foothill elk winter range in southeastern Wyoming, 262  
Cattle (steers), 259, 390  
Cattle trampling, 171, 176  
Cattle-deer interactions in the Sierra Nevada: A bioeconomic approach, 395  
Cattle-elk competition, 262  
Cauhépé, M.A., 471  
*Ceanothus cuneatus*, 306  
*Cenchrus incertus*, 223  
*Centaurea maculosa*, 43  
*Centaurea solstitialis*, 443  
*Centrocercus urophasianus*, 462  
*Cercocarpus montanus*, 497  
*Cervus elaphus*, 262  
Chanasyk, D.S., 7, 13, 18  
Cheatgrass, 27, 341, 347, 355  
Chemical composition of forage and feces as affected by microwave oven drying, 512  
Chemotaxonomy, 330  
Chernozemic soils, 7  
Chihuahuan Desert, 86, 133  
Chromic oxide, 204  
*Chrysothamnus viscidiflorus*, 27  
Cid, M. Silvia, 100  
Classification, 422  
Cleary, C. Rex, 97  
Climate, 427  
Clipping, 22, 82, 241  
Clopypalid, 52, 508  
Cluster analysis, 374  
Cochise lovegrass, 176, 210  
Coffin, Debra P., 68  
Coleoptile, 404  
Commodity production, 38  
Community composition, 369  
Comparing the captec bolus to chromic oxide dosed twice daily using sheep in confinement, 408  
Comparison of four methods of grassland productivity assessment based on *Festuca pallidus* phytomass data, 199  
Competition, 318, 327, 443, 543, 558  
Competition between cheatgrass and two native species after fire: Implications from observations and measurements of root distribution, 27  
Competition, intralifeform, 68  
Conroy, Scott D., 59  
Continuous-release bolus, 408  
Control of honey mesquite with clopyralid, triclopyr, or clopyralid:triclopyr mixtures, 52  
Control of woody plants in grazing lands on the Pacific Coast of Mexico, 508  
Correcting estimates of net primary production: Are we overestimating plant production in rangelands?, 194  
Correlation of environment and root carbohydrate content to picloram translocation in leafy spurge, 254  
Cottonwood leaves, 369  
Coughenour, Michael B., 530  
Cox, Jerry R., 210  
Crested wheatgrass, 186, 341, 347, 355, 574  
Crude protein, 501  
Cultivar improvement, 220  
Cusp catastrophe, 327

Cutting frequency and cutting height effects on rough fescue and Parry oat grass yields, 82

## D

*Dactylis glomerata*, 296  
Dahl, Bill E., 223  
*Danthonia parryi*, 82, 327  
da Silva, Ana M.B., 592  
Davis, M.R., 587  
Dean, John G., 22  
Debano, Leonard F., 111  
Deer hunting benefits, 395  
Deer, mule, 395, 487  
Deer, white-tailed, 246, 451, 520, 606, 614  
Deer-cattle relationships, 395, 487  
Defoliation, 241, 399, 550  
Defoliation effects on yield and bud and tiller numbers of two Sandhills grasses, 241  
Defossé, Guillermo E., 199  
Deglutition, 592  
Degree days, 75  
*Delphinium glaucescens*, 619  
*Delphinium occidentale*, 619  
*Delphinium* spp., 105  
Demarais, Stephen, 520  
Demography, 611  
Density, 364  
Dependence of standing crop on range condition rating in New Mexico, 602  
Desert mule deer use of grazed and ungrazed habitats, 487  
Detling, James K., 100  
Dicamba, 508  
Dick, Brian L., 361  
Diet quality, 361  
Diet sample collection by esophageal fistula and rumen evacuation techniques, 515  
Diet selection, 385, 379, 515  
Digestibility of guajillo for white-tailed deer, 606  
Digestible energy, 361  
Disking, 133  
Disturbed land treatment, 382  
Diversity, 246  
Doescher, Paul S., 296  
Donart, Gary B., 399  
Dowhower, S.L., 144  
Dropseed, mesa, 133  
Drough, 105  
Drought avoidance, 156  
Dugas, William A., 161  
Duncan, Don A., 306  
Dynamic model, 199

## E

Ecological status, 602  
Economic analysis, 566  
Economic benefits, 390  
Economic efficiency, 566  
Economic evaluation of spotted knapweed [*Centaurea maculosa*] control using picloram, 43  
Economic feasibility, 43  
Economic feasibility and management considerations in range revegetation, 566  
Economic relationships of brushpiles, forage production and California quail hunting, 129  
Economically optimal private land grazing strategies for the Blue Mountains of eastern Oregon, 38  
Economics, 38, 227  
Economics of broom snakeweed control on the Southern Plains, 232  
Ecet, Robin Vanhorn, 602  
Edinger, Susan B., 286

Effect of fertilizer on plant biomass distribution and net accumulation rate in an alpine meadow in central Himalaya, India, 140  
Effect of hormone, dehulling and seedbed treatments on germination and adventitious root formation in blue grama, The, 237  
Effect of light on adventitious root formation in blue grama, The, 184  
Effect of water on morphological development in seedlings of three range grasses: Root branching patterns, 355  
Effects of cattle trampling and mechanical seedbed preparation on grass seedling emergence, 176  
Effects of competition on spatial distribution of roots of blue grama, 68  
Effects of established perennial grasses on yields of associated annual weeds, 318  
Effects of revegetation on surficial soil salinity in panspot soils, 215  
Effects of seasonal rest in aboveground biomass for a native grassland of the flood Pampa, Argentina, 471  
Effects of seedbed preparation and cattle trampling on burial of grass seeds, 171  
Effects of single season and rotation harvesting on cool- and warm-season grasses on a mountain grassland, 327  
Effects of tree canopies on soil characteristics of annual rangeland, 286  
Elk, 262  
*Elymus dahuricus*, 186  
*Elymus lanceolatus*, 341  
*Elymus trachycaulis*, 186, 311  
Emergence of several Triticeae range grasses influenced by depth of seed placement, 186  
Emmerich, William E., 323  
Engle, D.M., 150  
*Equus caballus*, 611  
Eradication, 43  
*Eragrostis curvula*, 223, 501  
*Eragrostis lehmanniana*, 171, 176, 323  
*Eragrostis lehmanniana* X *E. tricornis*, 171, 176, 210  
Escobar, D.E., 587  
Estimation of fecal output with an intraruminal continuous release marker device, 204  
Ethridge, Don E., 232  
*Euphorbia esula*, 254  
Evaluation of dietary preference with a multiple latin square design, 295  
Evans, Raymond A., 385  
Evaporation from rangeland with and without honey mesquite, 161  
Evapotranspiration, 161  
Everitt, J.H., 587  
Experimental design, 379  
Extrusa, 512

## F

Factors affecting weeping lovegrass seedling vigor on shinnery oak range, 223  
Fecal output, 408, 596  
Fee hunting, 129  
Fernández-A., Roberto J., 434  
Fertilization, 140, 223, 382  
Fescue grassland, 7, 13  
Fescue grasslands, 18  
Fescue, rough 7  
Fescue, tall, 295  
*Festuca altaica* subsp. *hallii*, 75  
*Festuca arundinacea*, 295  
*Festuca hallii*, 7  
*Festuca pallescens*, 199  
*Festuca scabrella* var. *campestris*, 82

Field capacity, 13  
Fire, 27, 140  
Firewood cutting, 129  
Fistulae, esophageal, 515, 628  
Fitzhugh, E. Lee, 129  
Floral development, 501  
Flow, 254  
Foliar sprays, 52  
Footthill range, 267  
Forage, 34  
Forage intake, 204  
Forage production, 22, 64, 602  
Forage production of reclaimed mined lands as influenced by nitrogen fertilization and mulching practice, 382  
Forage quality, 379  
Forage use, 466  
Forage yield, 241  
Forage yield and white-tailed deer diets following live oak control, 451  
Forage yield model, 282  
Foraging, 447  
Forest grazing, 2  
Forest Service and livestock permittee behavior in relation to wilderness designation, 483  
Forwood, James R., 592  
Foxtail, Garrison creeping, 295  
Freeze drying, 512  
Frequency, 241  
Friedel, M.H., 422  
Frost, William E., 64, 286  
Fulbright, Timothy E., 246, 451, 520

## G

Gallagher, James F., 606  
Galyean, Michael L., 497  
Garcia-Holquin, M., 508  
Garrott, Robert A., 611  
Garza, Andres, Jr., 451  
Gdara, Abdalla O., 22  
Genetic variances for dry matter yield, nitrogen content, and nitrogen yield in crested wheatgrass-alfalfa mixtures, 418  
Genotype, 220  
Geostatistics, 491, 583  
Geotropism, 438  
*Geranium* spp., 311  
Geranium, sticky, 311  
Germination of mechanically scarified neoteric switchgrass seed, 299  
Gibbens, Robert P., 86  
Gillen, Robert L., 124  
Glimp, Hudson A., 408  
Goats, Angora, 456  
Goats, Spanish, 111, 361  
Golluscio, Rodolfo A., 434  
Gorenzel, W. Paul, 129  
Grama, blue, 48, 68, 184, 237, 249, 399, 497, 574  
Grama, sidecoats, 144, 171, 176, 210, 404  
Granivory, 550  
Grass density, 133  
Grass seedling morphology, 404  
Grass seedling: When is it established?, The 574  
Grazing, 22, 427, 550  
Grazing behavior and forage preference of sheep with chronic locoweed toxicosis suggest no addiction, 208  
Grazing effects and range trend assessment on California bighorn sheep range, 466  
Grazing impacts on litter and soil organic matter in mixed prairie and fescue grassland ecosystems of Alberta, 7  
Grazing intensity, 13  
Grazing livestock, 515

Grazing management, 38  
 Grazing patterns, 100  
 Grazing permit ownership, 483  
 Grazing, prescribed, 369  
 Grazing pressure, 456  
 Grazing, release, 100  
 Grazing ruminants, 592  
 Grazing, seasonal, 471  
 Grazing systems, 124, 399, 596  
 Grazing systems stocking rates, and cattle behavior in southeastern Wyoming, 259  
 Griffith, Duane, 43  
 Grilz, P.L., 75  
 Ground cover, 7  
 Grouse, sage, 462  
 Growth, grass, 86  
 Growth regulator, 501  
 Guajillo, 456  
*Guazuma ulmifolia*, 508

## H

Habitat, 246, 451, 466  
 Habitat use, 150, 487  
 Haferkamp, Marshall R., 295  
 Hanson, C.L., 282  
 Hardegree, Stuart P., 323  
 Hardesty, Linda H., 289  
 Hardin, R.T., 7  
 Hardwood rangeland, 286  
 Hart, Richard H., 22, 227, 259, 262, 267  
 Harvest, 82  
 Hatfield, Patrick G., 408  
 Heitschmidt, Rodney K., 144, 596  
 Held, Larry J., 390  
 Hepworth, K.W., 259, 262  
 Herbage production, 623  
 Herbage response following control of honey mesquite within single tree lysimeters, 144  
 Herbage standing crops, 306  
 Herbage Zn-P interaction, 48  
 Herbicide absorption, 254  
 Herbicide metabolites, 249  
 Herbicide movement, 254  
 Herbicide residues, 249  
 Herbicide translocation, 254  
 Herbicides, 43, 52, 56, 133, 140, 150, 249, 254, 311, 364, 451, 508, 623  
 Herbivory, 447, 530  
 Hexazinone, 508  
 Hicks, R.A., 577  
 Hidalgo, L.G., 471  
 Hodges, Mark E., 124  
 Hofmann, L., 404  
 Holecchek, Jerry L., 497  
 Holloway, J.W., 118  
 Home range, 395  
 Honeysuckle, 583  
 Hopkins, D.G., 215  
 Horses, 611  
 Horses, feral, 611  
 Hudson, Donald B., 628  
 Hycrest, 347, 355  
 Hydrology model, 282

## I

Importance of hypocotyl hairs in germination of *Artemisia* seeds, 438  
 In vitro dry matter digestibility, 501  
 Infiltration, 276  
 Infiltration, equation, 18  
 Infiltrometer, 18  
 Influence of seedbed microsite characteristics on grass seedling emergence, 210  
 Influence of Spanish goats on vegetation and soils in Arizona chaparral, 111

Influence of temperature and cheatgrass competition on seedling development of two bunchgrasses, 347  
 Influences of temperature and water stress on germination of plains rough fescue, 75  
 Ingestion, 592  
 Insects, rangeland, 583  
 Instantaneous intake rates of 9 browse species by white-tailed deer, 614  
 Intake, 295, 361, 592  
 Intensity, 82  
 Interactions affecting plant establishment and persistence on revegetated rangeland: Plant-animal, 550  
 Interactions affecting plant establishment and persistence on revegetated rangeland: Plant-plant, 558  
 Interception losses, 276  
 Interception, water, 13  
 Interference between yellow starthistle and pubescent wheatgrass during grass establishment, 443  
 Intracoleoptile internode, 404  
 IPM, 583

## J

Jackrabbit, black-tailed, 447  
 Jacobs, James J., 390  
 Jacoby, P.W., 56, 577  
 James, L.F., 208  
 Jameson, Donald A., 184, 237, 327  
 Jefferson, P.G., 186  
 Jensen, Nancy K., 299  
 Johnsen, T.N., 249  
 Johnson, B.E., 379  
 Johnson, D.E., 318  
 Johnson, Douglas A., 341, 347, 355  
 Jun, Di Jian, 336

## K

Karl, Michael G., 296  
 Karn, J.F., 512  
 Kattig, Robert M., 497  
 Kelsey, Rick G., 330  
 Kemp, William P., 583  
 Kie, John G., 395  
 King, Doug W., 497  
 Kirby, D.R., 215  
 Knapp, Bradford W., 295  
 Knapweed, spotted, 43  
 Knopf, Fritz L., 369  
 Koerth, Ben H., 614  
 Kostakov equation, 18  
 Krausman, Paul R., 409  
 Krueger, W.C., 318

## L

Lacey, John R., 43  
 Lamb, 295  
 Land imprinting, 133, 171, 176  
 Landscape, 118  
 Larkspur, tall, 105, 619  
*Larrea tridentata*, 133  
 Larsen, H.D., 276  
 Late season control of honey mesquite with clopyralid, 56  
 Lauenroth, William K., 68, 194  
 Launchbaugh, Karen L., 118  
 Lawrence, T., 186  
 Laycock, W.A., 427  
 Leaf and canopy transpiration in honey mesquite following severing of lateral roots, 577  
 Leaf area, 577  
 Leaf area index, 144  
 Leaf conductance, 156  
 Leaf development, 86  
 Leaf internodes, 404

Leafy spurge, 254  
 Lemma, 299  
*Lepus californicus*, 447  
 Leslie, D.M., 150  
 Lesser prairie-chicken densities on tebuthiuron-treated and untreated sand shinnery oak rangelands, 364  
*Leymus angustus*, 186  
 Light reflectance characteristics and video remote sensing of pricklypear, 587  
 Light response, 184  
 Lilac, 583  
 Linear programming, 390  
 Litter, 7, 111  
 Livestock density, 596  
 Livestock preference, 379  
 Lochmiller, R.L., 150  
 Locoweed, 208  
 Loft, Eric R., 395  
 Long-term effects of rangeland disking on white-tailed deer browse in south Texas, 246  
 Long-term tebuthiuron content of grasses and shrubs on semiarid rangelands, 249  
 Longland, William S., 447  
*Lonicera krolkowi*, 583  
 Loomis, John B., 395  
 Lovegrass, Lehmann, 176  
 Lovegrass, weeping, 501  
 Lym, Rodney G., 254

## M

MacLeod, Neil D., 475  
 MacNeil, Michael D., 204  
 Macronutrients, 520  
 Magnesium, 520  
 Mahogany, mountain, 497  
 Managing range cattle for risk—the STEE-RISK spreadsheet, 227  
 Manners, Gary D., 105, 619  
 Marginal rates of substitution, 390  
 Martens, Ellen, 438  
 Mastrup, Sonke A., 129  
 Matzha, William, 223  
 Mayeux, Herman S., Jr., 161  
 Mayland, H.F., 311, 418  
 Mazaika, Rosemary, 409  
 McClaran, Mitchel P., 438  
 McCollum, F. Ted, 124  
 McDaniel, Kirk C., 623  
 McKown, C. David, 596  
 McMurry, S.T., 150  
 Meadors, C.H., 56  
 Mechanical scarification, 323  
*Medicago sativa*, 22, 418  
 Mefluidide effect on weeping lovegrass heading, forage, yield, and quality, 501  
 Melgoza, Alicia, 133  
 Melgoza, Graciela, 27  
 Mesocotyl, 404  
 Mesquite honey, 52, 56, 144, 156, 161, 577  
 Messersmith, Calvin G., 254  
 Metsulfuron, 623  
 Mexico, 508  
 Microenvironments, 385  
 Mineral content of guajillo regrowth following roller chopping, 520  
 Mineral salt supplementation of cattle grazing tall larkspur-infested rangeland during drought, 105  
 Minerals, 34  
 Mixed prairie, 7, 13, 18  
 Models, 530  
 Monitoring roots of grazed rangeland vegetation with the root periscope/mini-rhizotron technique, 296  
 Montemayor, Erasmo, 246  
 Moore, K.J., 379

Mortality, 52  
 Morton, Howard L., 133, 249  
 Moser, Lowell E., 241  
 Mountain grassland, 327  
 Mountain mahogany and cottonseed meal as supplements for grass hay, 497  
*Muhlenbergia filiculmis*, 327  
 Muhly, slimstem, 327  
 Mulch, chemical, 237  
 Mulchiny, 328  
 Mullahey, J. Jeffrey, 241  
 Multiple use of public rangeland: Antelope and stocker cattle in Wyoming, 390  
 Murray, R.B., 311  
 Mutualism, 558  
 Myserud, Ivar, 2

## N

Naeth, M.A., 7, 13, 18  
 Needle-and-thread, 27  
 Nemati, Nasser, 184  
 Net economic benefits, 395  
 Net primary productivity, 140  
 Nitrogen balance, 361, 497  
 Nitrogen concentration, 100  
 Nitrogen management, 382  
 Nitrogen mineralization, 418  
 Nitrogen transfer, 418  
 Nitrogen uptake, 418  
 Non-market valuation, 395  
 Nonuse, 483  
 Norway, 2  
 Nowak, Robert S., 27  
 Nunez-Hernandez, G., 497  
 Nutrient digestibility, 497  
 Nutrient (instantaneous) intake rate, 614  
 Nutrient intake of cattle on rotational and continuous grazing treatments, 596  
 Nutrition, 520, 606  
 Nutritional value of fresh Gambel oak browse for Spanish goats, 361  
 Nuttall's alkali grass, 186

## O

Oak, blue, 306  
 Oak, sand shinnery, 364  
 Oaks, 129, 223, 306, 364  
*Odocoileus hemionus*, 395  
*Odocoileus hemionus crooki*, 487  
*Odocoileus virginianus*, 246, 451, 520, 606, 614  
 Olawsky, Craig D., 364  
 Olson, Kenneth C., 515  
 Optimal use, 566  
 Optimization, 227  
*Opuntia*, 587  
 Orchardgrass, 296  
 Ordination, 422  
 Oven drying, 512  
 Overgrazing: Present or absent?, 475  
 Overstory-understory relations, 306  
*Ovis aries*, 2  
*Ovis canadensis californiana*, 466  
 Owens, M. Keith, 118, 456  
*Oxytropis sericea*, 208

## P

*Pachic cryoborall*, 311  
 Palea, 299  
 Palmquist, Debra A., 385  
 Pamo, E. Tedonkeng, 374  
 Panic, blue, 176, 210  
*Panicum antidotale*, 171, 176, 210  
*Panicum virgatum*, 299  
 Panspots (soils), 215  
 Panter, K.E., 208  
 Parry oatgrass, 82, 327  
*Paspalum dilatatum*, 471

Pasture characteristics affecting spatial distribution of utilization by cattle in mixed brush communities, 118  
 Patagonia, 199  
 Patagonian steppe, 434  
 Paterson, John A., 592  
 Perspectives and processes in revegetation of arid and semiarid rangelands, 543  
 Petersen, Joseph L., 220  
 Peterson, Kevin R., 628  
 Pfister, James, 105, 628  
 Phenology, 501  
 Phenology models, 583  
 Phenols, 330  
 Phosphorus, 520  
 Photosynthesis, 577  
 Phreatophyte, 577  
 Phreatophyte, facultative, 156  
 Physiological responses of 6 wheatgrass cultivars to mycorrhizae, 336  
 Picloram, 43, 56, 254, 508  
 Pieper, Rex D., 374, 399  
 Pierson, Frederick B., 491  
 Pinchak, William E., 267  
 Pine, digger, 306  
*Pinus sabiniana*, 306  
 Pitt, Michael D., 466  
 Plant biomass, 369  
 Plant community preference, 267  
 Plant community responses to short duration grazing in tallgrass prairie, 124  
 Plant community structure, 68  
 Plant vigor, 466  
 Pluth, D.J., 7, 13  
 Poisonous plants, 105, 208, 619  
 Pollination, 550  
 Population, 364  
 Population dynamics, 150  
*Populus sargentii*, 369  
 Potassium, 520  
*Potentilla* spp., 311  
 Prairie chicken, lesser, 364  
 Prairie dogs, 100  
 Prather, T.S., 443  
 Preference of wintering sage grouse for big sagebrush, 462  
 Prescribed grazing as a secondary impact in a western riparian floodplain, 369  
 President's Address: Rangeland Is—, 97  
 Primary production, 144, 194, 399  
 Primary production methods, 434  
 Production possibilities frontier, 390  
 Profitability, 227  
*Prosopis glandulosa*, 52, 56, 156, 161, 577  
*Prosopis glandulosa* Torr. var. *glandulosa*, 144  
 Provenza, Frederick D., 181  
*Psathyrostachys juncea*, 186  
*Pseudoroegneria spicata*, 341, 347, 355  
 Publication patterns, 289  
*Puccinellia tenuiflora*, 186  
 Pyke, David A., 550, 558

## Q

*Quercus douglasii*, 306  
*Quercus gambelii*, 361  
*Quercus havardii*, 233, 364  
*Quercus*, spp., 129  
*Quercus turbinella*, 111  
*Quercus virginiana*, 451  
*Quercus wizlizenii*, 306  
 Quigley, Thomas M., 38

## R

Rabbit, cottontail, 150  
 Rabbitbrush, 27  
 Radioisotope labeling, 68

Radiotelemetry, 2  
 Ragotzkie, Kim E., 487  
 Railing, 133  
 Rainfall simulation, 276  
 Ralphs, M.H., 208, 619  
 Ram, Jeet, 140  
 Range condition, 64, 427, 602  
 Range condition analysis: Comparison of 2 methods in southern New Mexico desert grasslands, 374  
 Range condition assessment and the concept of thresholds: A viewpoint, 422  
 Range ecology, 385  
 Range improvement, 318  
 Range management, 587  
 Range nutrition, 204, 515, 628  
 Range sites, 64, 262  
 Rangeland experiments to parameterize the water erosion prediction project model: Vegetation canopy cover effects, 276  
 Rangeland hydrology, 13, 18  
 Rangeland simulation model, 282  
 Ratliff, Raymond D., 306  
 Ratzlaff, C.D., 186  
 Rauzi, F., 382  
 Reclamation, 34  
 Reinvasion, 318  
 Relative humidity, 254  
 Reproduction, 75  
 Research funding, 289  
 Research Note: A survey of current range research activity, 289  
 Research observations: Standardized terminology for structures resulting in emergence and crown placement of three perennial grasses, 404  
 Research topics, 289  
 Resource partitioning, 558  
 Response of cottontail rabbit populations to herbicide and fire applications on cross timbers rangeland, 150  
 Response of montane tall-forb communities to 2,4-D and mixtures of 2,4-D and picloram, 311  
 Response of tap- and creeping-rooted alfalfas to defoliation patterns, 22  
 Revegetation, 91, 171, 176, 210, 215, 382, 543, 558, 566  
 Reynolds, J. Paul, 520  
 Richardson, J.L., 215  
 Ries, R.E., 404, 574  
 Rillscale, 34  
 Riparian, 59, 369  
 Risk, 227  
 Risk of predation and food consumption by black-tailed jackrabbits, 447  
 Roberson, Jay A., 462  
 Roller chopping, 520  
 Romo, J.T., 75  
 Roohi, Rakhshan, 184, 237  
 Root biomass, 27  
 Root distribution, 68  
 Root formation, 184, 237  
 Root growth, 296  
 Root length density, 27  
 Root morphological development in relation to shoot growth in seedlings of four range grasses, 341  
 Root morphology, 341, 347, 355  
 Root periscope/minirhizotron, 296  
 Root plowing, 171, 176  
 Root reserves, 22  
 Root topology, 355  
 Rosentreter, Roger, 330  
 Rotation grazing, 124  
 Rough fescue, 82



Roundy, Bruce A., 91, 171, 176, 210, 543  
Runoff, 276

## S

*Sabal rosei*, 508  
Safesite, 210  
Sagebrush, 438  
Sagebrush, big, 72, 232, 330, 385, 462, 491  
Sagebrush, mountain big, 330  
Sala, Osvaldo E., 194, 434  
Salinity, 215  
*Salix geyeriana*, 59  
Salt mineral, 105  
Saltbush, fourwing, 220  
Sandbur, 223  
Sanderson, H. Reed, 38  
Sandhills, 241  
Sandreed, prairie, 241  
Sap flow, 161  
Schat, Bobby J., 246  
Schuman, G.E., 382  
Schuster, J.L., 508  
Seasonal patterns, 267  
Secondary plant compounds, 606  
Sedgwick, James A., 369  
Seed burial, 91  
Seed coat, 299  
Seed depth, 91, 171  
Seed dispersal, 550  
Seed germination, 385, 323  
Seed location, 171  
Seed placement, 91  
Seed predation, 550  
Seed production, 72  
Seedbed ecology, 438, 543  
Seedbed preparation, 91, 171, 223  
Seedling development, 347, 574  
Seedling emergence, 176, 210  
Seedling establishment, 220, 341, 347, 355  
Seedling morphology, 438  
Seedling stress, 438  
Seedling survival, 237  
Seedling vigor, 223, 299  
Seedstalk production of mountain big sagebrush enhanced through short-term protection from heavy browsing, 72  
Selecting *Atriplex canescens* for greater tolerance to competition, 220  
Self-thinning, 558  
Semivariogram, 491  
Sensitivity analysis, 43  
Severson, Kieth E., 111  
Sheep, 408  
Sheep, bighorn, 466  
Sheep diet, 2  
Sheep grazing, 2, 619  
Sheep nutrition, 497  
Shewmaker, G.E., 311  
Short, Robert E., 204, 628  
Shortgrass steppes, 68  
Shrub cover, 133, 447  
Shrub utilization, 497  
Shrubs, 434  
Simanton, J.R., 276  
Simulated grazing, 82  
Simulation modeling, 543  
Singh, J.S., 140  
Singh, S.P., 140  
Site potential, 422, 427  
Slope sensitivity, 267  
Smith, E. Lamar, 64  
Smith, Loren M., 364  
Smith, Michael A., 259, 262, 267, 390  
Soil erosion, 411  
Soil loss, 276  
Soil moisture, 59

Soil nitrogen, 111  
Soil organic matter, 7  
Soil phosphorus, 111  
Soil physical and chemical characteristics, 286  
Soil water content, 210  
Soil-DTPA Zn, 48  
Solonchik soils, 7  
Some effects of precipitation patterns on mesa dropseed phenology, 86  
Sonoran Desert, 133  
Sosebee, Ronald E., 156, 232  
Spatial components of plant-herbivore interactions in pastoral, ranching, and native ungulate ecosystems, 530  
Spatial variability, 491  
Spatial variation, 374  
Species mixtures, 558  
Spectral characteristics, 587  
*Sporobolus flexuosus*, 86  
*Sporobolus indicus*, 471  
Stable states and thresholds of range condition on North American rangelands: A viewpoint, 427  
Stand establishment, 299  
Starthistle, yellow, 443  
Statistical analyses for comparison of esophageal and hand-clipped samples from grazing trials, 379  
*Stipa comata*, 27  
*Stipa leucothricha*, 144  
Stochastic modelling, 227  
Stochastic weather generation, 282  
Stocking rate, 124, 262, 475  
Stomatal conductance, 577  
Stress tolerance, 558  
Stuth, Jerry W., 596, 614  
Subalpine vegetation types, 311  
Subcoleoptile, 184  
Substrate relations for rillscale [*Atriplex sckelyi*] on bentonite mine spoil, 34  
Succession, 422, 427, 543  
Succession, secondary, 215, 374  
Sucrose, 254  
Summer habitat use and activity patterns of domestic sheep on coniferous forest range in southern Norway, 2  
Surface crusts, 215  
Surface runoff plot design for use in watershed research, 411  
Surgical establishment of esophageal fistulae in suckling calves, 628  
Survival, 22, 59  
Svejar, Tony J., 59, 574  
Sward and steer variables affecting feasibility of electronic intake measurement of grazers, 592  
Sweeney, M.D., 215  
Switchgrass, 299  
*Sylvilagus floridanus*, 150  
*Syringa vulgaris*, 583

## T

Tanaka, John A., 38, 566  
Tannins, 606  
Tate, Kenneth W., 124  
Taxonomy, 330  
Taylor, E.M., Jr., 382  
Tebuthiuron, 133, 150, 451, 508  
Technique to determine seed location in relation to seedbed preparation treatments, A, 91  
Temperature, 254  
Temperature profiles for germination of big sagebrush seeds from native stands, 385  
Temperature variation, 75  
Temporal variability, 491

Terpenes, 330  
Test, P.S., 259  
Texas, 606  
*Thinopyrum intermedium*, 186  
*Thinopyrum intermedium*, spp. *barbulatum*, 443  
Tiedeman, James A., 602  
Tiedeman, Arthur R., 38  
Toxicity, 105  
Trampling, cattle, 176  
Transition, 427  
Transpiration, 161, 577  
Tree-soil interaction, 286  
Trend, 422, 602  
Tricopyr, 52, 56, 150, 508  
Trifaro, Linda White, 399  
Trlica, M.J., 34  
*Tympanuchus pallidicinctus*, 364

## U

Ueckert, Darrell N., 220  
Updike, Douglas R., 395  
Uresk, D.W., 34  
Urness, Philip J., 361  
Use of dry-weight rank multipliers for desert vegetation, 409  
Use of ornamental lilac and honeysuckle phenophases as indicators of rangeland grasshopper development, 583  
Use of stochastically generated weather records with rangeland simulation models, 282  
Utilization of larkspur by sheep, 619  
Utilization patterns by Angora goats within the plant canopies of two *Acacia* shrubs, 456

## V

Variability in germination rate among seed lots of Lehmann lovegrass, 323  
Variability of near-surface soil temperature on sagebrush rangeland, 491  
Variability of returns, 227  
Varner, Larry W., 606  
Vegetation analysis, 194  
Vegetation changes following brush control in creosotebush communities, 133  
Vegetation conversion, 566  
Vegetation response, 100  
Vegetation structure, 543  
Vegetational response to short-duration and continuous grazing in southcentral New Mexico, 399  
Vegetation responses of a mixed-grass prairie site following exclusion of prairie dogs and bison, 100  
Viewpoint: Range science and range management are complementary but distinct endeavors, 181  
Vogel, K.P., 379  
Voorhees, M.E., 34

## W

Waggoner, James W., Jr., 259, 262, 267  
Wagstaff, Fred J., 72, 462  
Walker, John W., 468, 596  
Wallace, Joe D., 497  
Waller, Steven S., 241  
Wan, Changgui, 156  
Warren, Jerry T., 2  
Water availability, 267  
Water holding capacity of litter and soil organic matter in mixed prairie and fescue grassland ecosystems of Alberta, 13  
Water injection, 237  
Water potential, 577  
Water potential, reduced, 323  
Water potential, xylem, 156  
Water relations, 577

- Water relations and transpiration of honey  
mesquite on 2 sites in west Texas, 156
- Water stress, 156
- Water table, 59
- Watershed research, 411
- Welch, Bruce L., 72, 462
- Weltz, M.A., 276
- WEPP, 276
- Westfall, Stanley E., 306
- Wheatgrass, bluebunch, 341, 347, 355
- Wheatgrass, intermediate, 186
- Wheatgrass, pubescent, 443
- Wheatgrass, slender, 186
- Wheatgrass, tall, 295
- Wheatgrass, western, 404
- Whicker, April D., 100
- Whisenant, Steven G., 52
- White, E.M., 48
- White, Larry M., 501
- White, Michael R., 399
- Wight, J. Ross, 282, 491
- Wikeem, Brian M., 466
- Wild ryegrass, Alti, 186
- Wild ryegrass, Dehurian, 186
- Wild ryegrass, Russian, 186
- Wildlife habitat, 111
- Williams, John D., 411
- Willms, Walter D., 82
- Willow planting success as influenced by site  
factors and cattle grazing in northeastern  
California, 59
- Willows, 59
- Wilson, Allan D., 475
- Winkel, Von K., 91, 171, 176, 210
- Wintergrass, Texas, 144
- Woody and herbaceous aboveground produc-  
tion of a Patagonian steppe, 434
- Workman, John P., 566
- Wyoming big sagebrush control with metsul-  
furon and 2,4-D in northern New Mexico,  
623
- X
- Xanthocephalum sarothrae*, 232
- Xeric big sagebrush, a new subspecies in the  
*Artemisia tridentata* complex, 330
- Y
- Yield forecast, 282
- Young, James A., 75, 385, 438
- Ytterbium, 596
- Z
- Zinc toxicity, 48

